ANALYTICA CHIMICA ACTA

(Abstracted, Indexed in: Anal. Abstr.; Biol. Abstr.; Chem. Abstr.; Curr. Contents Phys. Chem. Earth Sci.; Life Sci.; Index Med.; Mass Spectrom. Bull.; Sci. Citation Index; Excerpta Med.)

VOL. 197 **JUNE 15, 1987**

CONTENTS

Review

Spectroscopic techniques for the analysis of polymer surfaces and interfaces
F. Garbassi and E. Occhiello (Novara, Italy) 1

Spectrometric Methods

Spectrophotometric field monitor for water quality parameters. The determination of phosphate
P. J. Worsfold, J. R. Clinch (Hull, Gt. Britain) and H. Casey (Wareham, Gt. Britain) 43

Assay for guanase in blood serum by flow injection analysis with fluorescence detection
Y. Hayashi, K. Zaitsu and Y. Ohkura (Fukuoka, Japan) 51

Determination of the benzodiazepin-2-ones by circular dichroism
S. M. Han, N. Purdie and K. A. Swallows (Stillwater, OK, U.S.A.) 57

Cryogenic-temperature fluorescence spectroscopy of polynuclear aromatic hydrocarbons of molecular weight 328
A. L. Colmsjö (Stockholm, Sweden) 65

Cryogenic-temperature fluorescence spectroscopy of polynuclear aromatic hydrocarbons of molecular weight 378
A. L. Colmsjö (Stockholm, Sweden) 71

Kinetic spectrophotometric determination of indium/gallium mixtures
A. Marín, M. Silva and D. Pérez-Bendito (Córdoba, Spain) 77

Determination of trace elements in gallium arsenide by graphite-furnace atomic absorption spectrometry after pretreatment in gas streams
I. S. Busheina, J. B. Headridge, D. Johnson, K. W. Jackson, C. W. McLeod (Sheffield, Gt. Britain) and J. A. Roberts (Redhill, Gt. Britain) 87

Determination of selenium in human tissues by atomic absorption spectrometry
J. Fairhurst, B. Lloyd and H. T. Delves (Southampton, Gt. Britain) 97

Computer Methods and Applications

A quantitative measure of the reliability of searches of spectral libraries
P. B. Harrington and T. L. Isenhour (Logan, UT, U.S.A.) 105

Microcomputerized ultrahigh-speed transient digitizer and luminescence lifetime instrument
T. J. Turley, J. N. Demas and D. J. Demas (Charlottesville, VA, U.S.A.). 121

Operational method for slope estimations
G. L. Silver (Miamisburg, OH, U.S.A.) 129

Separations

A novel adsorbent for the determination of the toxic fraction of copper in natural waters
M. Zhang and T. M. Florence (Menai, N.S.W., Australia). 137

Determination of urinary prostanoids by capillary gas chromatography/high-resolution mass spectrometry
D. A. Herold, J. Savory, M. Kinter, R. Ross and M. R. Wills (Charlottesville, VA, U.S.A.). 149

Improved quantitation of 2,4-dichlorophenol in plant tissues by high-performance liquid chromatography with amperometric detection
D. J. Chesney, D. E. Tallman, A. A. Peckrul, L. W. Cook and J. R. Fleeker (Fargo, ND, U.S.A.) 159

Room-temperature phosphorimetric determination of biogenic indole compounds adsorbed on a thin-layer chromatographic plate
N. Kuroda, H. Nohta and Y. Ohkura (Fukuoka, Japan) 169

Urinary arsenic speciation by high-performance liquid chromatography/atomic absorption spectrometry for monitoring occupational exposure to inorganic arsenic
B. S. Chana and N. J. Smith (London, Gt. Britain) 177

(Continued overleaf)

(Contents continued)

Electrometric Methods

Lactate biosensor based on human erythrocytes
J. Racek (Plzeň, Czechoslovakia) 187

A piezoelectric crystal detector for determination of acetoin in air
E. C. Hahn, A. A. Suleiman, G. G. Guilbault (New Orleans, LA, U.S.A.) and J. R. Cavanaugh (Philadelphia, PA, U.S.A.) 195

Planar artificial biomembranes optimized for biochemical assay
U. J. Krull (Mississauga, Ont., Canada) 203

Flow-injection analysis with a coated tubular solid-state copper(II)-selective electrode
J. F. van Staden and C. C. P. Wagener (Pretoria, South Africa) 217

Reversible immobilization of an antibody with a thiol-substituted sorbent. Application to enzyme immunoassays
J. L. Boitieux, R. Groshemy, D. Thomas (Compiègne, France) and F. Ergan (Montreal, Canada) 229

Staircase voltammetry as a rapid detection method for anodic stripping determination of lead
B. Svensmark (Copenhagen, Denmark) 239

Swept-potential oxidative detection in flow streams
D. S. Owens, C. M. Johnson, P. E. Sturrock (Atlanta, GA, U.S.A.) and A. Jaramillo (Cali, Colombia) 249

Determination of selenium by means of computerized flow constant-current stripping at carbon fibre electrodes. Application to human whole blood and milk powder
C. Hua, D. Jagner and L. Renman (Lund, Sweden) 257

Determination of uranium(VI) in seawater by means of automated flow constant-current cathodic stripping at carbon fibre electrodes
C. Hua, D. Jagner and L. Renman (Lund, Sweden) 265

Short Communications

Isodifferential derivative approach to the spectrophotometric determination of nickel and cobalt mixtures
F. Garcia Sanchez, M. Hernandez Lopez and J. C. Marquez Gomez (Malaga, Spain) 275

Spectrophotometric and spectrofluorimetric determination of iodide by extraction of ICl_2^- with rhodamine B
M. A. Al-Hajjaji (Makkah Al-Mukarramah, Saudi Arabia) 281

Spectrophotometric determination of bismuth after extraction of hexadecyltributylphosphonium tetraiodobismuthate(III) by microcrystalline benzophenone
D. Thorburn Burns and N. Tungkananuruk (Belfast, Northern Ireland) 285

Spectrofluorimetric determination of 16α-hydroxyestrone by reaction with hexacyanoferrate(III) and arginine in alkaline solution
Y. Yamaguchi, C. Hayashi and K. Miyai (Osaka, Japan) 291

Monitoring of glucose in biological fluids by Fourier-transform infrared spectrometry with a cylindrical internal reflectance cell
B. Bauer and T. A. Floyd (Moscow, ID, U.S.A.) 295

Determination of total tin and tributyltin in marine biological materials by electrothermal atomic absorption spectrometry
J. C. McKie (Aberdeen, Gt. Britain) 303

Atomic absorption spectrometric/hydride generation determination of tributyltin and dibutyltin in sea water at the nanogram per litre level
P. W. Balls (Aberdeen, Gt. Britain) 309

A study of arsenic(III) and arsenic(V) reduction and of arsine decomposition in hydride-generation atomic absorption spectrometry
Narsito and J. Agterdenbos (Utrecht, The Netherlands) 315

Determination of copper in natural waters by atom-trapping atomic absorption spectrometry after liquid/liquid extraction
S. Bradshaw, A. J. Gascoigne, J. B. Headridge (Sheffield, Gt. Britain) and J. H. Moffett (Suva, Fiji) 323

An interference effect in the use of inductively-coupled argon plasma spectrometric detection for high-performance liquid chromatography
G. K.-C. Low, G. E. Batley and S. J. Buchanan (Sutherland, N.S.W., Australia) 327

Extraction of lanthanides with 8-quinolinol in the presence of 6-amino-4,4′-(5-nonyl)-2,2′-bipyridine
S. Taguchi, M. Hojjatie and H. Freiser (Tucson, AZ, U.S.A.) 333

Determination of stability constants of a copper/citric acid complex by ion-exchange chromatography and atomic absorption spectrometry
M. R. Pitluck, B. D. Pollard and D. T. Haworth (Milwaukee, WI, U.S.A.) 339
Reversed-phase ion-pair separation of several weak organic acids found in urine
F. H. Walters (Lafayette, LA, U.S.A.) 343
Integrated-circuit bio-calorimetric sensor for glucose
H. Muramatsu (Chiba, Japan), J. M. Dicks (Cranfield, Gt. Britain) and I. Karube (Yokohama, Japan) 347
Flow-injection determination of phosphate species in detergents with a calcium ion-selective electrode
P. W. Alexander and J. Koopetngarm (Kensington, N.S.W., Australia) 353
Temperature effects on amperometric detection at nickel oxide electrodes in flow-injection systems
B. S. Hui and C. O. Huber (Milwaukee, WI, U.S.A.) 361
Stripping voltammetry of trace metals in resistive solutions with mercury microelectrodes
J. Wang and P. Tuzhi (Las Cruces, NM, U.S.A.) 367
A simple automatic titrator based on a digital balance
J. R. Chipperfield and D. E. Webster (Hull, Gt. Britain) 373

Author Index 377